

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	234	726/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 17:37
S2	195	S1 and @ad<"20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:56
S3	106	S2 and authentication\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 16:33
S4	3	S2 and (provide supply creat) near3 authentication\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 16:42
S5	284	(provide supply creat) near3 authentication\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 16:44
S6	4	(provide supply creat) near3 authentication\$4 near3 sample	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 16:42
S7	91	(provide supply creat) near3 authentication\$4 near3 (user agent server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 16:44
S8	42	S7 and @ad<"20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 17:51

S9	5464	(generate\$4 creat\$4) near3 (password credential authenticate\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 17:23
S10	198	(generate\$4 creat\$4) near3 (password credential authenticate\$4) near3 (send\$3 transmit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 17:23
S11	25	(generate\$4 creat\$4) near3 (password credential authenticate\$4) near3 (send\$3 transmit\$4) near2 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 17:23
S20	1899	generate\$4 near3 key near3 (sent\$3 transmit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 17:44
S21	168	generate\$4 near3 key near3 (sent\$3 transmit\$4) near3 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 17:44
S22	12	generate\$4 near3 key near3 (sent\$3 transmit\$4) near3 user near3 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 17:49
S23	1899	generate\$4 near3 key near3 (sent\$3 transmit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 17:50
S24	6	generate\$4 near3 key near3 (sent\$3 transmit\$4) near4 authenticate\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 17:51

S25	80	generate\$4 near3 key near3 (sent\$3 transmit\$4) same authenticate\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 18:40
S26	44	S25 and @ad<"20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 18:42
S60	10049230	(distribute\$4 send\$3 transmit\$4 provid\$4 generate\$4) near2 servernear2 (client station node device user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 13:52
S61	21009	(distribute\$4 send\$3 transmit\$4 provid\$4 generate\$4) near2 server near2 (client station node device user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 13:53
S62	2592367	(distribute\$4 send\$3 transmit\$4 provid\$4 generate\$4) near2 server near2 (client station node device user) near S34 (key password credential id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 13:53
S63	779	(distribute\$4 send\$3 transmit\$4 provid\$4 generate\$4) near2 server near2 (client station node device user) near2 (key password credential id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 13:54
S64	3782	(distribute\$4 send\$3 transmit\$4 provid\$4 generate\$4) near2 server near2 (key password credential id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 13:54
S65	316	(distribute\$4 send\$3 transmit\$4 provid\$4 generate\$4) near2 server near2 (key password credential id) near3 secure\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 13:55

S66	3	(distribut\$4 send\$3 transmit\$4 provid\$4 generate\$4) near2 server near2 (key password credential id) near3 secure\$3 near5 authentication\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 13:55
S69	53553	receiv\$4 near3 (key credential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:39
S70	1296	receiv\$4 near3 (key credential) near3 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:41
S71	6	receiv\$4 near3 (key credential) near3 server near3 secure near3 (channel path link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:40
S72	2	S71 and @ad<"20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:58
S73	35	receiv\$4 near3 (key credential) near3 server near3 secure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:42
S74	16	S73 and @ad<"20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:42
S75	5822	authentication\$4 near2 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:53

S76	276	authentication\$4 near2 key near2 receive\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:55
S77	1	authentication\$4 near2 key near2 receive\$3 near2 (ssl secure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:54
S78	347	authentication\$4 near2 key near2 (receive\$3 sent\$3 transmits\$3 provide\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:57
S79	3	authentication\$4 near2 key near2 (receive\$3 sent\$3 transmits\$3 provide\$3) near3 secure\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:58
S80	347	authentication\$4 near2 key near2 (receive\$3 sent\$3 transmits\$3 provide\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 14:58
S90	3790	distribute\$4 near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 15:24
S91	15	distribute\$4 near3 key near2 authenticate\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 16:17
S92	7	S91 and @ad<"20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 15:25

S93	38676	(distribute\$4 provide\$4 transmit\$4 send\$4) near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 15:25
S94	682	(distribute\$4 provide\$4 transmit\$4 send\$4) near3 key near3 (ssl or secure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 15:26
S95	442	S94 and @ad<"20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 15:26
S96	85	(distribute\$4 provide\$4 transmit\$4 send\$4) near3 key near3 (ssl or secure) near2 (link path channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 16:31
S97	53	S96 and @ad<"20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 15:27
S98	422159	(distribute\$4 provide\$4 transmit\$4 send\$4) near3 (one time passcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 16:32
S99	4	(distribute\$4 provide\$4 transmit\$4 send\$4) near3 ("one time passcode")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 16:33
S100	13	("one time passcode")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 16:33